



(<https://www.casals.com/en/>)



Casals (<https://www.casals.com/en/>) > Products (<https://www.casals.com/en/products/>) > INDUSTRIAL VENTILATION (<https://www.casals.com/en/products/industrial-ventilation/>) > AXIAL FANS (<https://www.casals.com/en/products/industrial-ventilation/axial-fans/>)

Search by series (<https://www.casals.com/en/products/search/>)

Casals technical catalogue (<https://www.casals.com/en/casals-technical-catalogue/>)

Advice (<https://www.casals.com/en/advice/>)

AXIAL FANS: HB



Print

Send ()

Technical data sheet (<https://fanware.casals.com/en/fanware/50/fans/hb>)

WALL FAN , VARIABLE PITCH BLADES

MANUFACTURING FEATURES:

- Plate axial fan with circular reinforced frame.
- Motor-impeller modular assembly for complete versatility.
- Corrosion-resistant powder coat polyester resin.
- Standard asynchronous squirrel-cage motor with IP-55 protection and Class F insulation. Manufactured with standard voltages: 230V 50Hz in single phase motors and 230/400V 50Hz in three phase, motors up to 4kW and 400/690V 50Hz for higher powers.
- HB : Polypropylene impeller (A2 profile) or polyamide impeller reinforced with fibreglass (other profiles) with variable pitch angle.
- HBA : Cast aluminum impeller with variable pitch angle.

APPLICATIONS:

Designed for wall or duct installation, they are suitable for:

- Air renewal in buildings and industries.
- Maximum working temperature: 1ph 50°C, 3ph 60°C.

UNDER REQUEST:

- Supply impeller (air direction from impeller to motor)
- 100% reversible impeller.
- 60Hz fans and special voltages.
- Hot-dipped galvanized or stainless steel housing.

CONTACT NOW

NAME

COMPANY

COUNTRY

Afghanistan 

Comercial: Oussama Souaihi

E-MAIL

TELEPHONE

COMMENTS

☐ I accept the [Privacy Policy \(https://www.casals.com/en/privacy-policy/\)](https://www.casals.com/en/privacy-policy/) and the [Cookies Policy \(https://www.casals.com/en/use-of-cookies/\)](https://www.casals.com/en/use-of-cookies/)

☐ I authorize the sending of commercial information.

Treatment responsible: CASALS VENTILACIÓN AIR INDUSTRIAL S.L.

Purpose of processing: Maintain a relationship with the User and send the newsletter.

Legitimation: Consent of the interested party.

Data retention: They will be kept for as long as there is a mutual interest or for the time necessary for the fulfillment of legal obligations.

Data recipient or session: CASALS VENTILACIÓN AIR INDUSTRIAL S.L. and service providers or collaborators.

Data subject rights: Right to withdraw consent at any time. Right of access, rectification, portability and deletion of your data and the limitation or opposition to its treatment. Contact information to exercise your rights: data@casals.com

Additional information: You can view the additional information in our [Privacy Policy \(https://www.casals.com/en/privacy-policy/\)](https://www.casals.com/en/privacy-policy/).



SEND

+34 972 720 150 (tel:+34972720150)

(/)

NEWS ([HTTPS://WWW.CASALS.COM/EN/NEWS/](https://www.casals.com/en/news/))

CASALS VENTILACIÓN AIR INDUSTRIAL, SLU

Ctra. Camprodon, s/n
17860 Sant Joan de les Abadesses (Girona)
SPAIN

© Casals, 2021 | Legal notice (<https://www.casals.com/en/legal-advice/>) | Privacy Policy (<https://www.casals.com/en/privacy-policy/>) | Cookies policy (<https://www.casals.com/en/use-of-cookies/>)

(<https://www.linkedin.com/company/casals>) (<https://www.youtube.com/channel/UCnoJ3UY89x6KSPC>)
(<https://www.facebook.com/casalsvent>) (<https://www.instagram.com/casalsvent>) (<https://www.twitter.com/casalsvent>)

VORTICE Group worldwide

International (https://www.vortice.com/en/about_us) Italy (<https://www.vortice.it/it/>) United Kingdom (<https://www.vortice.ltd.uk/>)
China (<http://en.vortice-china.com/>) Latam (<http://www.vortice-latam.com/>) Casals (<https://www.casals.com/en/>) Vortice Industrial
(<http://www.vorticeindustrial.com/it/>)