

(https://www.casals.com/en/)

Casals (https://www.casals.com/en/) > Products (https://www.casals.com/en/products/) > INDUSTRIAL VENTILATION (https://www.casals.com/en/products/industrial-ventilation/) > AXIAL FANS (https://www.casals.com/en/products/industrial-ventilation/) ventilation/axial-fans/)

Search by series (https://www.casals.com/en/products/search/)

Casals technical catalogue (https://www.casals.com/en/casals-technical-catalogue/)

Advice (https://www.casals.com/en/advice/)

AXIAL FANS: HMA



Print Send () Technical data sheet (https://fanware.casals.com/en/fanware/50/fans/hma)

LONG CASE VARIABLE PITCHBLADES

MANUFACTURING FEATURES:

- Reinforced fan casing manufactured in rolling steel sheet.
- Motor-impeller modular assembly for complete versatility.
- Polyester powder finishing coat.
- Standard asynchronous squirrel-cage motor with IP-55 protection and Class F insulation. Manufactured with standard voltages: 230V 50Hz in single phase motors and 230/400V 50Hz in three phase motors up to 4kW and 400/690V 50Hz for higher powers.
- HM: Polypropylene impeller (A2 profile) or polyamide impeller reinforced with fibreglass (other profiles) with variable pitch angle
- HMA: Cast aluminium impeller with variable pitch angle.

APPLICATIONS:

Designed for inline installation, they are suitable for:

- Air renewal in buildings and industries.
- Smoke extraction (max 50-60°C).
- Maximum working temperature: 1ph 50°C, 3ph 60°C.

UNDER REQUEST:

- 100% reversible impeller.
- 60Hz fans and special voltages.
- · Hot-dipped galvanised or stainless steel housing.

	CONTACT NOW	
NAME		
COMPANY		
COUNTRY		
Afghanistan		•
Comercial: Oussam	na Souaihi	
E-MAIL		
TELEPHONE		
COMMENTS		
		//
☐ I accept the <u>Privac</u>	<u>cy Policy (https://www.casals.com/en/privacy-policy/)</u> and the <u>Cookies Policy (https://www.casals.com</u>	<u>/en/use-of-cookies/)</u>
☐ I authorize the se	nding of commercial information.	
	,	

Treatment responsible: CASALS VENTILACIÓN AIR INDUSTRIAL S.L.

Purpose of processing: Maintain a relationship with the User and send the newsletter.

Legitimation: Consent of the interested party.

Data retention: They will be kept for as long as there is a mutual interest or for the time necessary for the fulfillment of legal

obligations.

Data recipient or session: CASALS VENTILACIÓN AIR INDUSTRIAL S.L. and service providers or collaborators.

Data subject rights: Right to withdraw consent at any time. Right of access, rectification, portability and deletion of your data

and the limitation or opposition to its treatment. Contact information to exercise your rights: data@casals.com Additional information: You can view the additional information in our Privacy Policy (https://www.casals.com/en/privacypolicy/).

eCAPTCHA الخصوصية - البنو	أنا لست برنامج روبوت						
ND							
		(/)			+34 972 720) 150 (tel:+34	972720
		(/)		NEWS (HTTF	S://WWW.CA	SALS.COM/E	EN/NE

CASALS VENTILACIÓN AIR INDUSTRIAL, SLU

Ctra. Camprodon, s/n 17860 Sant Joan de les Abadesses (Girona) **SPAIN**

© Casals, 2021 | Legal notice (https://www.casals.com/en/legal-advice/) | Privacy Policy (https://www.casals.com/en/privacypolicy/) | Cookies policy (https://www.casals.com/en/use-of-cookies/)

> (https://www.linkedinttppm//www.paonytubsedsem/channel/UCnoJ3UY89x6KSPC (https://w/www.pfar/elvooentuidesnine/deltalssvoetvvtflansindesnjem/tdlascids/Vent)

VORTICE Group worldwide

International (https://www.vortice.com/en/about_us) Italy (https://www.vortice.it/it/) United Kingdom (https://www.vortice.ltd.uk/) China (http://en.vortice-china.com/) Latam (http://www.vortice-latam.com/) Casals (https://www.casals.com/en/) Vortice Industrial (http://www.vorticeindustrial.com/it/)